

FIG.1




FIG.2




FIG.3




FIG.4

4001

| COMMAND | DESCRIPTION |
|--------------|---|
| "PASSWORD" | DESCRIBE PASSWORD AFTER COMMAND. RECOGNIZE PORTION BEFORE LINE FEED AS PASSWORD. WHEN PASSWORD IS REGISTERED IN PRINTER, MAIL IS NOT ANALYZED UNLESS TWO PASSWORDS COINCIDE. |
| "PRINT-FILE" | PRINT ATTACHED FILE. DESCRIBE NAME AND DATA FORM OF FILE AFTER COMMAND. |
| "SET" | SET VARIOUS PRINTING-SETTING PARAMETERS. DESCRIBE NAMES OF SETTING ITEMS AND SETTING VALUES AFTER COMMAND. |
| "GET" | ACQUIRE VARIOUS PRINTING-SETTING PARAMETERS, LOG INFORMATION, EXPENDABLE-ITEM INFORMATION, AND THE LIKE. DESCRIBE INFORMATION NAME AFTER COMMAND. MAIL IS TRANSMITTED UPON PROVISION OF COMMAND. |

FIG.5




FIG.6




FIG.7




FIG.8




FIG.9A




FIG.9B




FIG.10




FIG.11

11001

| ATTRIBUTE NAME | DESCRIPTION | EFFECTIVE RANGE | SETTING VALUE |
|----------------|--|--|--|
| NAME | NAME OF PRINTER | SETTING EFFECTIVE FOR PRINTER | CHARACTER STRING OF 16 ALPHANUMERIC CHARACTERS |
| SLEEPTIME | WAITING TIME UNTIL ENTERING SLEEP MODE (MIN) | SETTING EFFECTIVE FOR PRINTER | "OFF" 1~60 |
| LANGUAGE | LANGUAGE DISPLAYED ON PANEL | SETTING EFFECTIVE FOR PRINTER | "JP" "EN" |
| COPY | SETTING OF NUMBER OF COPIES | SETTING EFFECTIVE FOR ATTACHED PRINTING DATA | 1~999 |
| DUPLEX | SETTING OF DUPLEX PRINTING | SETTING EFFECTIVE FOR ATTACHED PRINTING DATA | "ON" "OFF" |
| SORT | SETTING OF SORTING | SETTING EFFECTIVE FOR ATTACHED PRINTING DATA | "ON" "OFF" |
| STAPLE | SETTING OF STAPLING | SETTING EFFECTIVE FOR ATTACHED PRINTING DATA | "ON" "OFF" |
| NUP | SETTING OF N-UP PRINTING | SETTING EFFECTIVE FOR ATTACHED PRINTING DATA | 1, 2, 4, 8 |
| OVERLAY | OVERPLAY OF FORM DATA | SETTING EFFECTIVE FOR ATTACHED PRINTING DATA | CHARACTER STRING OF 16 ALPHANUMERIC CHARACTERS (FILE NAME) |
| STYLE | STYLE SHEET (IMAGE SETTING) | SETTING EFFECTIVE FOR ATTACHED PRINTING DATA | CHARACTER STRING OF 16 ALPHANUMERIC CHARACTERS (FILE NAME) |

FIG.12




FIG.13

ELECTRONIC MAIL




FIG.14

ELECTRONIC MAIL




FIG.15

ELECTRONIC MAIL

